According to regulation (EC) No. 1907/2006 (REACH)



63600 Tylose® MH 300 P2

Page 1

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Tylose® MH 300 P2

Article No.: 63600

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Rheological additive, paint, construction chemistry

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.de

EMail: info@kremer-pigmente.de

Importer: ---

1. 4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

2. Hazards Identification

2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as

hazardous according to CLP/GHS.

Classification according to Directive No.

67/548/EC or No. 1999/45/EC

The material is not subject to classification according to EC lists.

Safety Phrases:

Possible Environmental Effects:

2. 2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

No classification required according to the CLP/GHS guidelines.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2. 3. Other Hazards

This product is capable of dust explosion under certain

According to regulation (EC) No. 1907/2006 (REACH)

KREMER

63600 Tylose® MH 300 P2

Page 2

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

circumstances.

3. Composition/Information on Ingredients

3. 1. Substance

3. 2. Mixture

Chemical Characterization: Methylhydroxyethyl cellulose, CAS No. 9032-42-2

Information on Components / Hazardous

Ingredients:

Additional information:

Exempted from the mandatory REACH Registration (Article 2).

4. First Aid Measures

4. 1. Description of the First Aid Measures

General information:

Take affected persons out into the fresh air.

After inhalation:

In case of complaints consult a physician.

After skin contact:

Wash with soap and rinse with plenty of water.

After eye contact:

Rinse open eyes with plenty of water. In case of discomfort seek

medical help.

After ingestion:

If symptoms persist consult physician.

4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

5. Fire-Fighting Measures

5. 1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO2), extinguishing powder, sand, water

spray jet.

Unsuitable extinguishing media:

None known.

5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

No special hazards.

In case of fire: formation of carbon monoxide and dioxide.

next page:

According to regulation (EC) No. 1907/2006 (REACH)

KREMER

63600 Tylose® MH 300 P2

Page 3

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

6. Accidential Release Measures

6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Avoid formation of dust.

Together with water product causes slippery surfaces.

6. 2. Environmental Precautions

Environmental precautions:

Prevent contamination of soil, drains and surface waters.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable containers for

disposal. Avoid dust formation.

6. 4. Reference to other Sections

Protective clothing, see Section 8.

See Section 13 for information on disposal.

7. Handling and Storage

7. 1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation.

Avoid formation of dust.

Hygienic measures:

Particular danger of slipping on leaked/spilled product.

7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in a cool and dry place.

Product is hygroscopic.

Protect against humidity and water.

Requirements for storage areas and

containers:

Information on fire and explosion

protection:

Keep away from sources of ignition - do not smoke.

Risk of dust explosion.

Dust explosion class 2 (Kst-value 200 - 300 bar m/s).

Flammability class 5

Storage class (VCI):

11; Combustible solids

Further Information:

According to regulation (EC) No. 1907/2006 (REACH)

63600 Tylose® MH 300 P2



Page 4

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

7. 3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

TLV: 10 mg/m3 inhalable fraction (general dust limit)

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration

(PNEC):

Additional Information:

8. 2. Exposure Controls

Technical protective measures:

Provide adequate ventilation/exhaust system.

Personal Protection

General protective measures:

The usual precautionary measures are to be adhered to when

handling chemicals.

Wash hands before breaks and after work. Do not eat, drink or smoke during work.

Do not inhale dust.

Respiratory protection:

Required in case of insufficient ventilation.

Shortterm: filter P1.

Hand protection:

Not required

Protective glove material:

The glove material must be sufficiently impermeable and resistant

against the product.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

Environmental precautions:

No special measures required.

9. Physical and Chemical Properties

9. 1. Information on Basic Physical and Chemical Properties

Form: powder
Color: whitish
Odor: odorless

Odor threshold:

According to regulation (EC) No. 1907/2006 (REACH)

63600 Tylose® MH 300 P2



Page 5

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

No information available.

pH-Value: 6 - 8 (10 g/l)

Melting temperature:

not applicable

Boiling temperature:

not applicable

Flash point:

not applicable

Evaporation rate:

No information available.

Flammability (solid, gas): > 400°C

Upper explosion limit:

no information available

Lower explosion limit: 30 g/m3

Vapor pressure:

not applicable

Vapor density:

Density: 1.1 - 1.5 g/cm3 (20°C)

Solubility in water: > 10 g/l

Coefficient of variation (n-

Octanol/Water):

< 0 logPOW

Auto-ignition temperature: > 170°C

Decomposition temperature:

No data available.

Viscosity, dynamic:

not applicable

Explosive properties:

Product is not explosive; however, an explosive dust/air mixture

can be formed.

Oxidizing properties:

none

Bulk density: 200 - 600 kg/m3

9. 2. Further Information

Solubility in solvents:

Viscosity, kinematic

Burning class:

Solvent content:

Solid content:

Particle size:

next page:

According to regulation (EC) No. 1907/2006 (REACH)

Tylose® MH 300 P2 63600



6

Page Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

Other information:

Smoldering temperature: > 450°C

Minimum ignition energy: < 10 mJ (1013 hPa)

10. **Stability and Reactivity**

10.1. Reactivity

Stable if used according to specifications.

10.2. **Chemical Stability**

Stable if used according to specifications.

10.3. **Possibility of Hazardous Reactions**

Unknown.

10.4. **Conditions to Avoid**

Conditions to avoid:

Avoid ignition sources and sparks.

Thermal decomposition:

10.5. **Imcompatible Materials**

Strong oxidizing agents.

10.6. **Hazardous Decomposition Products**

None known.

10.7. **Further Information**

11. **Toxicological Information**

11.1. Information on Toxicological Effects

Acute Toxicity

LD50, oral: > 2000 mg/kg (rat)

LD50, dermal:

No information available.

LC50, inhalation:

No information available.

Primary effects

Irritant effect on skin:

Non irritating (rabbit)

Irritant effect on eyes:

Non-irritating to eyes (rabbit)

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

No sensitizing effects known.

Mutagenicity:

No relevant data found.

According to regulation (EC) No. 1907/2006 (REACH)



63600 Tylose® MH 300 P2

Page 7

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

Reproductive toxicity:

No relevant data found.

Carcinogenicity:

No relevant data found.

Teratogenicity:

No information available.

Specific target organ toxicity (STOT):

No negative effects.

Additional toxicological information:

12. Ecological Information

12. 1. Aquatic Toxicity

Fish toxicity:

LC50: > 500 mg/l (96h, Danio rerio; OECD 203)

Daphnia toxicity:

EC50: > 100 mg/l (48h, Daphnia magna; OECD 202)

Bacteria toxicity:

EC50: > 1000 mg/l (OECD 209)

Algae toxicity:

EC50: > 100 mg/l (72h, Scenedesmus subspicatus; OECD 201)

12. 2. Persistency and Degradability

Biodegradable.

12. 3. Bioaccumulation

No information available.

12. 4. Mobility

No information available.

12. 5. Results of PBT- und vPvP Assessment

This product is neither a PBT or vPvB substance nor does it

contain a PBT or vPvB substance.

12. 6. Other Adverse Effects

Water hazard class:

1, slightly hazardous (German Regulation; Self-assessment).

Do not allow undiluted product or large quantities of it to reach

ground water, waterways or sewage system.

Behaviour in sewage systems:

No impairment of the biodegradability of active sludge expected

8

when small amounts are discharged in biological sewage plants.

Further ecological effects:

COD: < 1500 mg O2/g

AOX Value:

13.

Disposal Considerations

13. 1. Waste Treatment Methods

Product: next page:

According to regulation (EC) No. 1907/2006 (REACH)



Tylose® MH 300 P2 63600

Page 8

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018 In accordance with current regulations, product may be taken to an incineration plant.

European Waste Code (EWC):

160306 - Wastes not otherwise specified in the list; Off-

specification batches and unused products; Organic wastes other

than those mentioned in 160305

Uncleaned packaging:

Uncontaminated packaging may be recycled. Completely empty

packaging can be disposed of with the regular waste.

Waste Code No.:

14. **Transport Information**

14. 1. **UN Number**

ADR, IMDG, IATA

14. 2. **UN Proper Shipping Name**

ADR/RID:

No hazardous goods according to ADR (land transportation).

IMDG/IATA:

No hazardous goods according to IMDG.

14. 3. **Transport Hazard Classes**

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14. 4. **Packaging Group**

ADR/RID:

not applicable

IMDG:

IATA:

14. 5. **Environmental Hazards**

None

14.6. **Special Precautions for User**

Not classified as a dangerous good under transport regulations.

According to regulation (EC) No. 1907/2006 (REACH)

63600 Tylose® MH 300 P2



Page 9

Revised edition: 06.05.2014 Version: 1.2 Printed: 04.09.2018

14. 7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

not applicable

14. 8. Further Information

15. Regulatory Information

15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (German Regulation, Assessment

by list)

Local regulations on chemical accidents:

Employment restrictions:

Restriction and prohibition of application:

Technical instructions on air quality:

15. 2. Chemical Safety Assessment

Exempted from the mandatory REACH Registration (Article 2)

15. 3. Further Information

Listed in the following inventories:

EINECS (EU), TSCA (US), AICS (AUS), DSL (CA), ENCS/MITI

(JP), KECI (KR), PICCS (PH), IECS (CN), HSNO

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.